



International Polyurethane Systems (IPS)

## Material Safety Data Sheet Hybrid HYB3002/1: Part B

### **1. PRODUCT AND COMPANY IDENTIFICATION**

MANUFACTURER: Dinoflex Group LP  
P.O. Box 3309, 5590 - 46th Ave. SE  
Salmon Arm, B.C.  
V1E 4S1 Canada  
(250) 832- 5142

EMERGENCY CONTACT NUMBER: Canutec  
(613) 996-6666

PRODUCT NAME: Hybrid HYB3002/1 Part B Polyamine/Polyether

MATERIAL CODE: 3300201

CHEMICAL FAMILY: Polyoxypropylenediamine / Polyether (blend)

PRODUCT USE: Coating

FORMULA:  $(C_3H_6O)_n C_6H_{12}N_2O$  & C11H18N2

### **2. INFORMATION ON HAZARDOUS INGREDIENTS**

HAZARDOUS INGREDIENTS	CAS #	% Range	LD/50	LC/50
Poly[oxy(methyl-1,2-ethanediyl)],alpha - (2-amino methylethyl) - omega - (2-aminomethylethoxy)	9046-10-0	~ 65 - 80	No Data	No Data
Diethyltoluenediamine (DETDA)	68479-98-1	~ 20 - 40	No Data	No Data

### **3. HAZARDS IDENTIFICATION**

<b>HAZARD SUMMARY (OSHA) :</b>	<b>Corrosive to eyes, corrosive to skin, corrosive to mucous membranes, lung toxin, toxic by ingestion</b>
--------------------------------	--

ROUTES OF ENTRY: Inhalation, skin, eyes, ingestion

MEDICAL CONDITIONS AGGRAVATED: Respiratory diseases including asthma and bronchitis, Skin diseases

## HAZARDOUS MATERIALS IDENTIFICATION SYSTEM CLASSIFICATIONS

HAZARD RATINGS	HEALTH	FLAMMABILITY	REACTIVITY
WHMIS	3	1	0

---

---

### **4. FIRST AID MEASURES**

INHALATION:	Remove individual to fresh air. Seek medical attention if breathing is difficult.
SKIN CONTACT:	Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and should be laundered before re-use. Call a physician.
EYES:	Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids apart. Call a physician immediately.
INGESTION:	Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

---

---

### **5. FIRE FIGHTING MEASURES**

<b>FLAMMABILITY SUMMARY (OSHA):</b>	<b>Product is not known to be flammable, combustible, pyrophoric or explosive. Vapors may be ignited by heat, sparks, flames or other sources of ignition at or above the flash point giving rise to a flash fire. Vapors are heavier than air and may travel to a source of ignition and flash back.</b>
-------------------------------------	---

FLASH POINT:	> 100 Deg. C. / > 212 Deg. F.
AUTOIGNITION TEMPERATURE:	No data
UPPER FLAMMABLE LIMIT, % IN AIR:	No data
LOWER FLAMMABLE LIMIT, % IN AIR:	No data
EXTINGUISHING MEDIA:	Use alcohol foam, carbon dioxide, dry chemical or water spray when fighting fires. Water or foam may cause frothing if liquid solvent or oil is burning but it still may be a useful extinguishing agent if carefully applied to the fire.
FIRE FIGHTING INSTRUCTIONS:	In case of fire, use normal fire fighting equipment including a NIOSH approved self-contained breathing apparatus (SCBA). Use water to cool containers. Container may explode in heat of fire. Empty container may still contain residual material that can ignite and/or result in explosion.
COMBUSTION PRODUCTS:	Oxides of nitrogen, carbon dioxide, carbon monoxide
SENSITIVITY TO IMPACT:	Not sensitive to mechanical impact.
SENSITIVITY TO STATIC CHARGE:	Not sensitive to static charge.

---

---

## **6. ACCIDENTAL RELEASE MEASURES**

AIR RELEASE:	Vapors may be suppressed by the use of water fog. Contain all liquid for treatment or neutralization.
WATER RELEASE:	Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. Continue to handle as described in land spill.
LAND RELEASE:	Create a dike or trench to contain materials. Absorb spill with inert material (e.g. dry sand, earth or commercial absorbent) and place in a chemical waste container. Do not place spilled materials back into original containers. Dilute material with large amounts of water.
ADDITIONAL INFORMATION:	Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.
PERSONAL PROTECTION:	Additional protective clothing must be worn to prevent contact with this chemical. Items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, chemically impermeable suit, and self-contained breathing apparatus.

---

---

## **7. HANDLING AND STORAGE**

HANDLING PROCEDURES:	Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing (dust, vapor, mist, gas). Keep container closed when not in use. Use only with adequate ventilation.
STORAGE REQUIREMENTS:	Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Store in a tightly closed container. Avoid contact with water, or moist air.
SHELF LIFE:	Six months
STORAGE TEMPERATURE:	Store at 18 - 30 °C for quality reasons

---

---

## **8. RECCOMENDED PERSONAL PROTECTION**

RESPIRATORY PROTECTION:	If spraying or misting occurs use a NIOSH approved air purifying respirator with organic vapor cartridge and dust/mist filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
-------------------------	--

SKIN PROTECTION:	Wear impervious gloves, boots and apron to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body.
EYE PROTECTION:	Use chemical goggles and a face shield.
VENTILATION REQUIREMENTS:	Local exhaust ventilation or other engineering controls are necessary when handling or using this product.
ADDITIONAL REQUIREMENTS:	An eye wash and safety shower should be provided in the immediate work area.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE:	Liquid
COLOR:	Clear/Amber
ODOR:	Ammonia
ODOR THRESHOLD:	No Data
SPECIFIC GRAVITY @ 22°C:	0.998
VAPOR DENSITY @ 22°C:	> 1.00
VAPOR PRESSURE:	No Data
EVAPORATION RATE:	No Data
BOILING POINT:	No Data
FREEZING POINT:	No Data
PH:	Approximately 11.5
OIL/WATER DISTRIBUTION:	No Data
SOLUBILITY IN WATER:	0.1 - 1.00 %

## **10. STABILITY AND REACTIVITY**

<b>STABILITY AND REACTIVITY SUMMARY:</b>	<b>Stable under normal conditions. Not sensitive to mechanical shock or to static discharge.</b>
--	--

HAZARDOUS POLYMERIZATION:	Will not occur
CONDITIONS TO AVOID:	Contact with water. High temperatures
CHEMICAL INCOMPATIBILITY:	Acids, strong oxidizing agents
DECOMPOSITION PRODUCTS:	Ammonia, carbon dioxide, carbon monoxide, oxides of nitrogen
DECOMPOSITION TEMPERATURE:	No data

---

---

## **11. TOXICOLOGICAL INFORMATION**

REPRODUCTIVE TOXICITY:	Not known or reported to cause reproductive or developmental toxicity.
TERATOGENICITY:	Not known or reported to be teratogenic.
MUTAGENICITY:	Not known or reported to be mutagenic.
CARCINOGENICITY:	This chemical is not known or reported to be carcinogenic by IARC, OSHA, NTP, or EPA.
EMBRYOTOXICITY:	Not known or reported to be embryotoxic.

### **IMMEDIATE (ACUTE) HEALTH EFFECTS**

INHALATION:	Vapors and/or aerosols which may be formed at elevated temperatures may be irritating to upper respiratory tract. High acute exposure may cause lung damage.
SKIN CONTACT:	Dermal exposure can cause severe irritation and/or burns characterized by redness, swelling, and scab formation. Prolonged skin exposure may cause permanent damage.
EYES:	Severe irritation and/or burns can occur following exposure. Direct contact may cause impairment of vision and corneal damage. Rinsing of the eye should take place immediately.
INGESTION:	Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding, and/or tissue ulceration or perforation.

### **PROLONGED (CHRONIC) HEALTH EFFECTS**

INHALATION:	Prolonged or repeated exposure will cause more severe irritation and possibly lung damage.
SKIN CONTACT:	Prolonged or repeated exposure may cause extensive permanent skin damage. Effects secondary to tissue destruction may also occur upon prolonged or repeated exposure.
EYES:	The acute corrosiveness of this product makes chronic eye contact of significant amounts unlikely.
INGESTION:	There are no known or reported effects from chronic ingestion except for effects similar to those experienced from single exposure. The acute corrosiveness of this product makes chronic ingestion of significant amounts unlikely.

### **PRODUCT ANIMAL TOXICITY**

ORAL LD50 VALUE:	480 mg/Kg (rat)
DERMAL LD50 VALUE:	2090 mg/Kg (rabbit)
INHALATION LC50 VALUE:	No data

---

---

## **12. DISPOSAL CONSIDERATIONS**

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THIS MATERIAL. THE USER OF THIS MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

WASTE CLASSIFICATION: If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261.

DISPOSAL METHODS: As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

---

---

## **13. TRANSPORT INFORMATION**

LAND (DOT): Corrosive, Liquid, Toxic, N.O.S. (Polyoxypropylenediamine) 8 UN2922 PGIII, 6.1

AIR (IATA/ICAO): Corrosive, Liquid, Toxic, N.O.S. (Polyoxypropylenediamine) 8 UN2922 PGIII, 6.1

WATER (IMO): Corrosive, Liquid, Toxic, N.O.S. (Polyoxypropylenediamine) 8 UN2922 PGIII, 6.1

HAZARD LABEL/PLACARD: (Primary) Corrosive 8  
(Subsidiary) Toxic, Division 6.1

### **CANADIAN TRANSPORTATION OF DANGEROUS GOODS REGULATIONS**

EMERGENCY RESPONSE GUIDE NUMBER: 154

PROPER SHIPPING NAME: Corrosive Liquids, Toxic, N.O.S. (Polyoxypropylene Diamine)

HAZARD CLASS: 8 (6.1)

IDENTIFICATION NUMBER: UN 2922

PACKING GROUP: III

LABEL REQUIRED: Corrosive (toxic)

---

---

## **14. REGULATORY INFORMATION**

WHMIS INFORMATION: Class D, Division 1, Subdivision B: Toxic  
Class E: Corrosive

### **UNITED STATES REGULATIONS:**

TOXIC SUBSTANCES CONTROL ACT (TSCA): Product components are listed in TSCA Inventory of Existing Chemical Substances.

PESTICIDE ACCEPTANCE INDICATION (US EPA): Not applicable

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) TITLE III:

HAZARD CATEGORIES SECTIONS: 311/312 (40 CFR 370.2)

HEALTH HAZARD: Acute

PHYSICAL HAZARD: None

EMERGENCY PLANNING & COMMUNITY RIGHT TO KNOW

APPLICABLE SECTION: 40 CFR 355, App. A

EXTREMELY HAZARDOUS SUBSTANCE SECTION 302: Threshold planning quantity is not applicable

REPORTABLE QUANTITY (40 CFR 302.4): None Listed

SUPPLIER NOTIFICATION REQUIREMENTS:

APPLICABLE SECTION: 40 CFR 372.45

REPORTABLE COMPONENTS SECTION 313: No 313-listed chemicals in this product

---

**15. OTHER INFORMATION**

MSDS PREPERATION DATE: July, 1995

PREPARED BY: Don Campagnolo

MAJOR REFERENCES: ARCH Chemical, Albemarle, Huntsman Chemical.

MSDS REVISION DATE: December, 2010

REVISED BY: Marci Hyatt

SECTION(S) REVISED: Format

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. INTERNATIONAL POLYURETHANE SYSTEMS INC. BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT INTERNATIONAL POLYURETHANE SYSTEMS INC. AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

---

The information enclosed is given without warranty, representation, or license of any kind, except that this information is accurate to the best of our knowledge, or is obtained from sources believed by IPS to be accurate. No warranty is expressed or implied regarding the accuracy of this information, or the results to be obtained from its use. IPS does not assume any responsibility for injuries caused by the use of the material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, IPS does not assume any responsibility for injuries caused by abnormal use of the material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the material.